

Powder actuated tool

Item No.: **D450**

Feature:

- Report silencer, Power regulation, Automatic cartridge feed
- Tools for a wide range of fastening to steel, concrete and hard masonry
- Function of safety (With this piston tool, fasteners cannot ricochet or be shot through walls.
- Thus, contact, drop firing and loading safety for the user.)

Specification	
Length:	350mm
Width:	55mm
Height:	180mm
Weight:	3.2kgs
Nail	
Length(max):	22mm(0.87")~72mm(2.83")
Cartridge:	6.8/11M Black,Red,Yellow,Green

The same as HILTI DX450



YONG SONG HARDWARE & TOOL CO., LTD.

No.171 HIS DI RD; BI TOU SHIANG

CHANG-HUA Country, TAIWAN R.O.C.

TEL: 886-4-8922472 FAX: 886-4-8927675

Web: www.soconails.com

E-mail: market@soconails.com

SOCONAILS

PNEUMATIC FASTENING SYSTEM

Item No.:SD65

Air Pressure :8 bar

Shank:3.0mm

Length of pin: min 15mm~65mm

Length: 430mm

Height: 430mm

Wide: 113mm

Weight:5.2 kg

Trigger type: single fire

Power is the same as Powder Actuated Tool

For steel/metal/concrete/H Beam

Thickness of Steel and Metal is about 10 mm



YONG SONG HARDWARE & TOOL CO., LTD.

No.171 HIS DI RD; BI TOU SHIANG

CHANG-HUA Country, TAIWAN R.O.C.

TEL: 886-4-8922472 FAX: 886-4-8927675

Web: www.soconails.com

E-mail: market@soconails.com

SOCONAILS

PNEUMATIC FASTENING SYSTEM

Item No.:SD65S

Air Pressure :8 bar

Shank:3.0mm

Length of pin: min 15mm~65mm

Length: 380mm

Height: 309mm

Wide: 120mm

Weight:3.9 kg

Trigger type: single fire

For steel/metal/concrete/H Beam

Thickness of Steel and Metal is about 5 mm



Option: 1. Cap and Body are Magnesium

Weight is about 3.4 kgs

[\(Item No.:SD65B1\)](#)



2. Low cap



YONG SONG HARDWARE & TOOL CO., LTD.

No.171 HIS DI RD; BI TOU SHIANG

CHANG-HUA Country, TAIWAN R.O.C.

TEL: 886-4-8922472 FAX: 886-4-8927675

Web: www.soconails.com

E-mail: market@soconails.com

SOCONAILS

PNEUMATIC FASTENING SYSTEM

Item No.:SD40S

Air Pressure :8 bar

Shank:3.0mm

Length of pin: min 15mm~40mm

Length: 307mm

Height: 305mm

Wide: 120mm

Weight:3.2 kg

Trigger type: single fire

For steel/metal/concrete/Light Beam



YONG SONG HARDWARE & TOOL CO., LTD.

No.171 HIS DI RD; BI TOU SHIANG

CHANG-HUA Country, TAIWAN R.O.C.

TEL: 886-4-8922472 FAX: 886-4-8927675

Web: www.soconails.com

E-mail: market@soconails.com

SOCONAILS

PNEUMATIC FASTENING SYSTEM

Item No.:SD40B

Air Pressure :8 bar

Shank:3.0mm

Length of pin: min 15mm~40mm

Length: 307mm

Height: 300mm

Wide: 90mm

Weight:3.5 kg

Trigger type: single fire

For steel/metal/concrete/H Beam

Thickness of Steel and Metal is about 5 mm

Cap and Body of SD40B and SD65S are the same



Option: 1. Cap and Body are Magnesium

Weight is about 3 kgs

[\(Item No.:SD40B1\)](#)



2. Low cap



PNEUMATIC FASTENING SYSTEM

Nail



	ITEM NO	DESCRIPTION	Packing (MOQ 10BOX)
1	T-15	Nail length:15mm	1000/pcs/box, 20boxes/ctn, 20ctn/pallet
2	T-20	Nail length:20mm	1000/pcs/box, 10boxes/ctn, 10ctn/pallet
3	T-25	Nail length:25mm	1000/pcs/box, 10boxes/ctn, 10ctn/pallet
4	T-30	Nail length:30mm	500/pcs/box, 10boxes/ctn, 10ctn/pallet
5	T-35	Nail length:35mm	500/pcs/box, 10boxes/ctn, 10ctn/pallet
6	T-40	Nail length:40mm	500/pcs/box, 10boxes/ctn, 10ctn/pallet
7	T-45	Nail length:45mm	500/pcs/box, 10boxes/ctn, 10ctn/pallet
8	T-50	Nail length:50mm	500/pcs/box, 10boxes/ctn, 10ctn/pallet
9	T-55	Nail length:55mm	500/pcs/box, 10boxes/ctn, 10ctn/pallet
10	T-60	Nail length:60mm	500/pcs/box, 10boxes/ctn, 10ctn/pallet
11	T-65	Nail length:65mm	500/pcs/box, 10boxes/ctn, 10ctn/pallet

Material: ALLOY STEEL /two step design and crossed line below head.

YONG SONG HARDWARE & TOOL CO., LTD.

No.171 HIS DI RD; BI TOU SHIANG

CHANG-HUA Country, TAIWAN R.O.C.

TEL: 886-4-8922472 FAX: 886-4-8927675

Web: www.soconails.com

E-mail: market@soconails.com

SOCONAILS

PNEUMATIC FASTENING SYSTEM

Item No.: **S7521**

Air Pressure :8 bar

Shank:3.0mm

Length of pin: min 15mm~40mm

Length: 470mm

Height: 325mm

Wide: 120mm

Weight:5.3kg

Trigger type: single fire

Head Dia.:7.5-6.5mm Length:35~75mm

Shank:2.5~3.5mm



For concrete→



Nail of S7521

